

NYC Health + Hospitals/Bellevue Outbreak Screening List – Version date: July 8, 2026

Countries	Pathogen/disease	Maximum incubation period	Major signs and symptoms	Common modes of transmission	Required PPE	References
Democratic Republic of Congo, Uganda, South Sudan	Ebola disease (Bundibungyo virus)	21 days	Fever, headache, myalgias; nausea, vomiting, diarrhea, abdominal pain; in severe cases, hemorrhage	Contact with bodily fluids of infected humans; spending time in caves or mines; contact with bats, bat guano, or bat urine; handling or consumption of raw meat from forest animals (non-human primates, duiker, and other antelope)	N95 respirator, surgical gown, apron, 2 pairs extended cuff (12") gloves, knee-high boots, surgical hood, face shield	CDC situation report
Uganda**	Marburg virus disease	21 days	Fever, headache, myalgias; nausea, vomiting, diarrhea, abdominal pain; in severe cases, hemorrhage	Contact with bodily fluids of infected humans; spending time in caves or mines; contact with bats, bat guano, or bat urine; handling or consumption of raw meat from forest animals (non-human primates, duiker, and other antelope)	N95 respirator, surgical gown, apron, 2 pairs extended cuff (12") gloves, knee-high boots, surgical hood, face shield	Media report
Nigeria	Lassa fever	21 days	Fever, headache, myalgias; nausea, vomiting, diarrhea, abdominal pain; in severe cases, hemorrhage	Contact with rodents and/or their excretions, contact with bodily fluids of infected humans	N95 respirator, surgical gown, apron, 2 pairs extended cuff (12") gloves, knee-high boots, surgical hood, face shield	BEACON Nigeria reports
Iraq	Crimean-Congo Hemorrhagic Fever (CCHF)	14 days	Fever, headache, myalgias; nausea, vomiting, diarrhea, abdominal pain; in severe cases, hemorrhage	Exposure to ticks, direct contact with bodily fluids of infected livestock or humans	N95 respirator, surgical gown, apron, 2 pairs extended cuff (12") gloves, knee-high boots, surgical hood, face shield	BEACON Iraq report
Numerous countries	Measles	21 days	Fever, cough, rhinitis, conjunctivitis, followed by rash	Airborne respiratory exposure to infected humans	N95 respirator	Johns Hopkins measles dashboard

NOTE: This document focuses on select, current infectious disease outbreaks that require prompt identification, isolation and/or specialized evaluation and management. This is not an exhaustive list of current outbreaks.

**New outbreaks added this month